Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	77	((server or computer or system) with (track\$4 or stor\$4 or record\$4)) same ((invalid or failed or unsuccessful) with ((login or log\$1in) near3 attempt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:54
L2	118	password near3 (removal or revocation or deletion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:56
L3	4	password near3 (removal or revocation or deletion) same ((send\$4 or transmit\$4 or display\$4 or notif\$7) near3 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:58
L5 ,	136824	((send\$4 or transmit\$4 or display\$4 or notif\$7) adj2 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:59
L7	7	((send\$4 or transmit\$4 or display\$4 or notif\$7) adj2 message) same (password with (removal or revocation or deletion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:00
S2	4	(("5559505") or ("5495235") or ("6266773") or ("6070244")).PN.	US-PGPUB; USPAT	OR	OFF	2005/04/27 16:00
<b>S3</b>	3540	713/201.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/27 16:01
S4	2063	S3 and @ad<"20011101"	US-PGPUB; USPAT	OR	ON	2005/04/27 16:01
S5	1	S4 and (determin\$4 with (number near3 (failed or unsuccessful)) with attempt\$) with (id or identification or password or pin)	US-PGPUB; USPAT	OR	ON	2005/04/27 16:07
S6	13	(determin\$4 with (number near3 (failed or unsuccessful)) with attempt\$) with (id or identification or password or pin)	US-PGPUB; USPAT	OR	ON	2005/04/27 16:07

S7	. 15	(determin\$4 with (number near3 (failed or unsuccessful)) with attempt\$) with (id or identification or password or pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:17
<b>S8</b>	1	strikeout near3 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:18
S12	34	((server or computer or system) with (track\$4 or stor\$4 or record\$4)) same ((invalid or failed or nsuccessful) with ((login or log\$1in) near3 attempt)) and @ad<"20011101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:55
S13	3627	709/223.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/28 12:19
S14	3840	709/224.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/28 12:19
S15	1	S13 and (determin\$4 with (number near3 (failed or unsuccessful)) with attempt\$) with (login or logon or log\$1in or log\$1on)	US-PGPUB; USPAT	OR	ON	2005/04/28 12:21
S16	11	(determin\$4 with (number near3 (failed or unsuccessful)) with attempt\$) with (login or logon or log\$1in or log\$1on)	US-PGPUB; USPAT	OR	ON	2005/04/28 14:59
S17	15	(password with ((revocation or deletion or removal) near3 message))	US-PGPUB; USPAT	OR	ON	2005/04/28 15:11
S18	2	(password adj3 ((revocation or deletion or removal) near3 message))	US-PGPUB; USPAT	OR	ON	2005/04/28 15:14
S19	1	message with (password adj2 previously adj2 (revoked or removed or deleted))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:18
S20	1	message same (password adj2 previously adj2 (revoked or removed or deleted))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:18

S21	8	message same (password adj2 (revoked or removed or deleted))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:24
S22	1	send\$4 with (password adj2 (deletion or revocation or removal) adj3 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:25